

H1 / H3C ELITE HID SYSTEM



WARNING: By reading this document, I agree it is only to be used as an educational guide. Morimoto Lighting makes no guarantee on any finished results, nor are they to be held responsible for any damage, misuse, or personal injuries. Use at your own risk. If you are unable to clearly understand and adapt the information below to your own application, professional installation is recommended.


TABLE OF CONTENTS

SYSTEM DIAGRAMS	P.3
INTERNALLY-WIRED W/ CANBUS HARNESS	P.3
INTERNALLY-WIRED W/ HD RELAY HARNESS	P.4
HARNESS INSTALLATION	P.5
BULB INSTALLATION	P.6
INTERNALLY-WIRED BULB INSTALLATION	P.6
BALLAST INSTALLATION	P.8

KIT CONTENTS

STANDARD PARTS

OPTIONAL PARTS






The included ballast test lead is used for troubleshooting purposes only and is not part of the installation of this system. If necessary, the test lead can be plugged into the ballast input and then connected to a 12V+ source to test the ballast. This must be done with the bulb connected to the ballast prior to applying power.




NOTE: System diagrams are to be used for reference purposes only. If you are unsure of the installation procedure for any individual part, review its install procedure prior to proceeding.

INTERNALLY-WIRED W/ STANDALONE CANBUS




Side of vehicle closer to battery


Side of vehicle further from battery



SPECIAL NOTE: ALL HARNESS TYPES



SPECIAL NOTE: HD RELAY HARNESS













HANDLE ONLY WITH BLACK PLASTIC BASE


STEP BY STEP - INTERNALLY-WIRED
























BALLAST INSTALLATION











WATERPROOF











-END-